

#### NOTICE TO BIDDERS

Sealed bids will be received by the City of Stephenville, at City Hall, 298 W Washington Street, Stephenville, TX 76401 until 2:00 pm, Wednesday, August 30, 2023, at which time bids duly delivered and submitted will be considered for:

## ANNUAL CONTRACT FOR POLICE UNIFORMS

Bids should be addressed to Tricia Wortley, Purchasing Manager, 298 W. Washington, Stephenville, TX 76401.

Any bid received after stated closing time will be returned unopened. If bids are sent by mail to the City, the bidder shall be responsible for actual delivery of the bid to the City Secretary before the advertised date and hour for opening of bids. If mail is delayed either in the postal service or in the internal mail system of the City of Stephenville beyond the date and hour set for the bid opening, bids thus delayed will not be considered and will be returned unopened.

Until the final award by the City of Stephenville, said City reserves the right to reject any and/or all bids, to waive technicalities, to re-advertise, to proceed otherwise when the best interest of the City will be realized hereby. Bid award is not solely based on price alone.

All bids must be submitted on original bid forms. Any changes to the form or failure to label packaging on the bid, may disqualify it. All packaging on bids (including courier envelope) will be submitted sealed and plainly marked with:

NAME AND ADDRESS OF BIDDER POLICE DEPT UNIFORM BID BID NUMBER 3325

It is not the intent of the City of Stephenville to offer proprietary specifications, or to eliminate any vendor from bidding by the use of brand names. If brand names are used it is for example only and understood the "or equal" will be accepted.

Bids shall be held firm for a period of 60 days unless otherwise stated in the bid specifications, instructions to bidders, or on the bid sheet.

PLEASE NOTE THAT MOST COURIER SERVICES DO NOT OFFER BEFORE 10:30 AM SERVICE TO STEPHENVILLE

### STANDARD INSTRUCTIONS TO BIDDERS

Bids that contain any omission, erasures, or alterations, or additions of items not called for in the bid documents, or irregularities of any kind, may or may not be considered.

Deviations from specifications and alternate bids must be clearly shown on the bid form with complete information attached to form. They may or may not be considered.

Upon bidders submitting bids they shall not withdraw or cancel such bids and all sums deposited with such bids will be held by the City of Stephenville until all bids submitted shall have been canvassed and award of contract made, signed and if a performance bonds is required furnished and approved. All sums deposited with bids will then be returned to the respective bidders.

The City of Stephenville, Texas is exempt from State of Texas Sales Tax and a Tax Exemption Certificate shall be furnished by the City of Stephenville, Texas to the successful bidder upon request.

No employee of the City of Stephenville shall have financial interest, direct or indirect, in any contract with the City, or be financially interested, directly or indirectly, in the sale to the City of any land, material, supplies or services.

Discounts: Show rate, total amount, and latest day any discount will be allowed after receipt of article and correct invoice.

This contract is subject to cancellation upon thirty day written notice by the City of Stephenville without cause.

Liquidated Damages: In the event delivery is not made within the stated time period, (without acceptable reasons for delay and written consent from the City) the City reserves the right to place the order with the next available vendor and the awardee shall be liable for any increase in price as liquidated damages, it being agreed that said sum is a fair and reasonable estimate of actual damages the City will incur. Bidder will not be held liable for failure to make delivery because of strikes; conscription's of property, governmental regulations, acts of God, or any other causes beyond his control; provided an extension of time is obtained from the Division of Purchasing.

Exceptions: Any catalog or manufacturer's reference in this proposal is descriptive, but not restrictive, and is used only to indicate type and grade. Bids on other items of similar and equal quality will be considered, provided the bidder states on the face of this proposal exactly what he intends to furnish. including any variation to the specifications and literature, otherwise he shall be required to furnish the items as specified on the Any other exceptions to any proposal. portions of these terms and conditions or deviations from written specifications shall be shown in writing on the bid document form or attached to bid form.

Quantities: Quantities shown are estimated, based on projected use. It is specifically understood and agreed that these quantities are approximate and any additional quantities will be paid for at the quoted price. It is further understood that the supplier shall not have any claim against the City of Stephenville for quantities less than the estimated amount.

Prices: The bidder should show in the bid document both the unit price and total amount, where required, of each item listed. In the event of error or discrepancy in the mathematics, the unit price shall prevail.

Delivery Date: Bidders shall state delivery date on all order.

F.O.B Point: All prices of item(s) shall be quoted FOB City of Stephenville destination.

The City of Stephenville reserves the right to award this bid in whole or in part.

# STANDARD INSTRUCTIONS TO BIDDERS

It is desirable that bids are accompanied by two sets of specifications to support items bid. The City of Stephenville reserves the right to determine specification requirements on all items bid.

Eligible Bidder: Bidders are limited to those persons or firms qualified and engaged in a full time business and can assume liabilities for any performance or warranty service required.

Nonresident-Reciprocal Bid Act: You are advised the City of Stephenville, Texas is bound by House Bill 620. The law provides that in order to be awarded a contract as low bidder, non-resident bidders (out-of-state contractors whose corporate office or principal place of business is outside the State of Texas) bid projects in Texas at an amount lower than the lowest Texas resident bidder by the same amount that a Texas resident bidder would be required to underbid a nonresident bidder in order to obtain a comparable contract in the state in which the non-resident's principal place of business is located. After making that determination you are instructed to advise the Purchasing Department in writing of that fact with a copy of the applicable state statute.

Based on local government code 252.043, the contract will be awarded to the lowest responsible bidder *OR* to the bidder who provides goods or services at the best value for the municipality. Therefore price is not the only consideration in the bid award.

By signing this bid, Vendor hereby certifies that it is not a company identified on the Texas Comptroller's list of companies known to have contracts with, or provide supplies or services to, a foreign organization designated as a Foreign Terrorist Organization by the U.S. Secretary of State. Vendor further certifies and verifies that neither Vendor, nor any affiliate, subsidiary, or parent company of Vendor, if any (the "Vendor Companies"), boycotts Israel, and Vendor agrees that the Vendor and Vendor Companies will not boycott Israel during the term of this Agreement. For purposes of this Agreement. the term "boycott" shall mean and include terminating business activities or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations with Israel, or with a person or entity doing business in Israel or in an Israeli controlled territory.

Please be advised that Stephenville does not receive courier services before 10:30 a.m.

# CITY OF STEPHENVILLE POLICE UNIFORMS SPECIAL CONDITIONS

- 1. The contract will begin on October 1, 2023 through September 30, 2024 with a renewal option for the next one (1) year.
- 2. City of Stephenville reserves the right to cancel this agreement upon 30 days written notice with good cause.
- 3. Purchases will be made on an as needed basis.
- 4. All prices quoted shall be F.O.B. destination Stephenville City Hall or other designated City Offices.
- 5. Evaluation of bid takes into account the following considerations: price, quality, probability of continuous availability and vendor reliability. It is not the policy of the City of Stephenville to award a bid on the basis of price alone.
- 6. The City reserves the right to award this bid to more than one vendor on a per section basis, or award the bid to one vendor on an all-or-none basis, whichever most benefits the City.
- 7. The City must have the ability for personnel to drive to place of business within 175 miles from Stephenville, be fitted on site, minor alterations made on site, and if in stock, take same day delivery.
- 8. Failure to complete the compliance questions on the bid form will result in automatic rejection of such bids as non-responsive.
- 9. All garment details not specifically described herein, tailoring, styling, construction, materials, and components must match the standard reference sample.
- 10. City of Stephenville reserves the right to require samples on any item prior to bid award.
- 11. Samples may be subjected to laboratory testing at the discretion of the contracting officer.
- 12. Bidders are responsible for all testing costs of their sample garments.
- 13. Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style. The successful bidder will provide a full size run of try-on garments within 10 days for agency approval.
- 14. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

# CITY OF STEPHENVILLE POLICE UNIFORMS SPECIAL CONDITIONS

- 15. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0306)
- 16. Must be able to sew on Department Patches and Emblems.
- 17. Must be able to embroider names on clothing.
- 18. Must be able to silk screen or heat press on clothing.
- 19. Must be able to make alterations on clothing as may be needed.
- 20. Ballistic panels must be ordered directly from the manufacture after providing them with proper fitting instructions.

# 1. Long and Short Sleeve Uniform Shirt

#### **Shell Fabric**

- 1. 7.5 oz. per square yard plain weave 75/25 poly/wool. Machine washable and dry cleanable wool blend provides user comfort, uniform appearance, durability, and easy care.
- 2. Breathable, 4 way stretch, 6 Oz. Nylon with Lycra mesh technical knit with high abrasion and pill resistance.

#### Trim

- 3. Long Sleeve and/or Short Sleeve Uniform Shirt- Blauer "Supershirt" or equivalent
- 4. Dark Navy Color
- 5. Lining: 100% Polyester Satin or 100% Polyester Taffeta
- 6. Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
- 7. Hook and loop: Woven Nylon base
- 8. Buttons: melamine, 20 ligne, matching shell fabric

## Design and Construction

- 9. Uniform shirt with shaped stretch side panels continuing under arms for improved fit, Axon integration system, and hidden reflective pull downs
- 10. Axon pockets and electronic wire pass-through under pockets, in fronts, behind collar, and on side panels above radio
- 11. 5 military style creases stitched in fronts and back
- 12. Convertible dress collar
- 13. Mitered pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
- 14. (2) Napoleon style pocket openings beneath the upper pleated pockets with 4 way stretch mesh inner pockets to hold sunglasses and other articles
- 15. Yoke lined with polyester taffeta or satin
- 16. Center positioned mic tab
- 17. Full zipper closure in front with working top and bottom buttons
- 18. Epaulets tacked at corners of points for security
- 19. On demand pull down Scotchlite or equivalent reflective panels in front pockets and secured under rear collar
- 20. On demand Scotchlite or equivalent reflective stripes under sleeve hems
- 21. Badge eyelets with internal support strap
- 22. Extra long shirt tails

# 2. Long and Short Sleeve Under (Base) Uniform Shirt

## **Shell Fabric**

1. 10.5 oz. per square yard plain weave 75/25 poly/wool. Machine washable and dry cleanable wool blend provides user comfort, uniform appearance, durability, and easy care.

### Trim

2. Long and Short Sleeve Blauer SuperShirt Base Shirt or equivalent

- 3. Durable uniform shirting fabric combined with breathable, moisture-wicking mesh fabric
- 4. Designed to look like a Class A or B uniform shirt when worn under exterior vest carrier
- 5. SS Wool Blend Base Shirt
- Lightweight, moisture-wicking stretch mesh covers torso area for quick-dry comfort, body temperature regulation and advanced mobility
- 7. Convertible sport collar

- 8. 3-button center front placket
- 9. Double pen pocket on left chest

# 3. Long and Short Sleeve Uniform Shirt FlexRS

#### **Shell Fabric**

- 1. 5.2 oz. per square yard plain weave 100% polyester. Machine washable and dry cleanable wool blend provides user comfort, uniform appearance, durability, and easy care.
- 2. Breathable, 4 way stretch, 6 Oz. Nylon with Lycra mesh technical knit with high abrasion and pill resistance.

#### Trim

- 3. Long Sleeve and/or Short Sleeve Uniform Shirt- Blauer "FlexRS" or equivalent
- 4. Dark Navy Color
- 5. Lining: 100% Polyester Satin or 100% Polyester Taffeta
- 6. Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
- 7. Hook and loop: Woven Nylon base
- 8. Buttons: melamine, 20 ligne, matching shell fabric

## **Design and Construction**

- 9. Uniform shirt with shaped stretch side panels continuing under arms for improved fit, Axon integration system, and hidden reflective pull downs
- 10. Axon pockets and electronic wire pass-through under pockets, in fronts, behind collar, and on side panels above radio
- 11. 5 military style creases stitched in fronts and back
- 12. Convertible dress collar
- 13. Mitered pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
- 14. (2) Napoleon style pocket openings beneath the upper pleated pockets with 4 way stretch mesh inner pockets to hold sunglasses and other articles
- 15. Yoke lined with polyester taffeta or satin
- 16. Center positioned mic tab
- 17. Full zipper closure in front with working top and bottom buttons
- 18. Epaulets tacked at corners of points for security
- 19. On demand pull down Scotchlite or equivalent reflective panels in front pockets and secured under rear collar
- 20. On demand Scotchlite or equivalent reflective stripes under sleeve hems
- 21. Badge eyelets with internal support strap
- 22. Extra long shirt tails

# 4. Long and Short Sleeve Under (Base) Uniform Shirt Style FlexRS

## **Shell Fabric**

1. 5 - 7.5 oz. per square yard plain weave 100% polyester. Machine washable and dry cleanable wool blend provides user comfort, uniform appearance, durability, and easy care.

### **Trim**

2. Long and Short Sleeve Blauer "FlexRS Armorskin" Base Shirt or equivalent

## **Design and Construction**

- 3. Durable uniform shirting fabric combined with breathable, moisture-wicking mesh fabric
- 4. Designed to look like a Class A or B uniform shirt when worn under exterior vest carrier
- 5. SS Wool Blend Base Shirt
- Lightweight, moisture-wicking stretch mesh covers torso area for quick-dry comfort, body temperature regulation and advanced mobility
- 7. Convertible sport collar
- 8. 3-button center front placket
- 9. Double pen pocket on left chest

# 5. Trousers- Men's

### **Shell Fabric**

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool blend with 10-12 %
mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort,
uniform appearance, durability, and easy care.

## Trim

- 2. Color: Dark Navy
- 3. Pocketing: 50/50 polyester/cotton twill, not less than 4.1 oz. sq. yd.
- 4. Interlining: polyester non-woven.
- 5. Binding: polyester/cotton bias cut.
- 6. Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
- 7. Stretch edge control.
- 8. Fly zipper: nylon coil, size #5, auto-lock slider.
- 9. Side Pocket Zipper: nylon coil, size #5.
- 10. Hook and eyes: nickel-plated.
- 11. Buttons: melamine, 22 ligne, matching shell fabric.

- 12. Front quarter pockets and inverted double cord hip pockets with button tabs.
- 13. All pocket secured with bar tacks.
- 14. Side cut-in zippered pockets
- 15. Stretch waistband with fly tab (fly tab-men's only).
- 16. Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- 17. Double hook and eye closure.
- 18. Quarter linings in front quarters (men's only).
- 19. Outlets in waistband (back) and thigh inseam.
- 20. Tandem needle seat seam.
- 21. Seat, inseam, and out seams pressed open.
- 22. 10-12 stitches per inch (all seams).
- 23. Permanent silicone adhesive creases on pant, front and back.
- 24. Hemming.

# 6. Trousers- Women's

#### **Shell Fabric**

1. 4.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool blend with 10-12 % mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

### Trim

- 2. Color: Dark Navy
- 3. Pocketing: 50/50 polyester/cotton twill, not less than 4.1 oz. sq. yd.
- 4. Interlining: polyester non-woven.
- 5. Binding: polyester/cotton bias cut.
- 6. Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
- 7. Stretch edge control.
- 8. Fly zipper: nylon coil, size #5, auto-lock slider.
- 9. Side Pocket Zipper: nylon coil, size #5.
- 10. Hook and eyes: nickel-plated.
- 11. Buttons: melamine, 22 ligne, matching shell fabric.

## Design and Construction

- 12. Front quarter pockets and inverted double cord hip pockets with button tabs.
- 13. All pocket secured with bar tacks.
- 14. Side cut-in zippered pockets
- 15. Stretch waistband with fly tab.
- 16. Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- 17. Double hook and eye closure.
- 18. Quarter linings in front quarters (men's only).
- 19. Outlets in waistband (back) and thigh inseam.
- 20. Tandem needle seat seam.
- 21. Seat, inseam, and out seams pressed open.
- 22. 10-12 stitches per inch (all seams).
- 23. Permanent silicone adhesive creases on pant, front and back.
- 24. Hemming.

# 7. Class A Trousers

### **Shell Fabric**

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool blend with 10-12 %
mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort,
uniform appearance, durability, and easy care.

#### Trim

- 2. Color: Dark Navy
- 3. Pocketing: 50/50 polyester/cotton twill, not less than 4.1 oz. sq. yd.
- 4. Interlining: polyester non-woven.
- 5. Binding: polyester/cotton bias cut.
- Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
- 7. Stretch edge control.
- 8. Fly zipper: nylon coil, size #5, auto-lock slider.
- 9. Side Pocket Zipper: nylon coil, size #5.

- 10. Hook and eyes: nickel-plated.
- 11. Buttons: melamine, 22 ligne, matching shell fabric.

### Design and Construction

- 12. Front quarter pockets and inverted double cord hip pockets with button tabs.
- 13. All pocket secured with bar tacks.
- 14. Side cut-in zippered pockets
- 15. Stretch waistband with fly tab (fly tab-men's only).
- 16. Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- 17. Double hook and eye closure.
- 18. Quarter linings in front quarters (men's only).
- 19. Outlets in waistband (back) and thigh inseam.
- 20. Tandem needle seat seam.
- 21. Seat, inseam, and out seams pressed open.
- 22. 10-12 stitches per inch (all seams).
- 23. Permanent silicone adhesive creases on pant, front and back.
- 24. Hemming.
- 25. UA066 Silver ½ inch Class A Stripe added from waist to bottom of pants.

## 8. Trousers Flex RS

### **Shell Fabric**

1. 7.0 - 8.0 oz. per linear yard serge weave 100% Poly with weft mechanical stretch rip-stop weave. Machine washable and dry cleanable and provides the user comfort, uniform appearance, durability, and easy care.

## Trim

- 2. Color: Dark Navy
- 3. Pocketing: 65% Polyester, 35% Cotton piece dyed, woven twill, 165 gms/sq meter +/- 5%
- 4. Interlining: polyester non-woven.
- 5. Binding: pocketing fabric, bias cut
- Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
- 7. Stretch edge control.
- 8. Fly zipper: nylon coil, size #5, auto-lock slider.
- 9. Hook and eyes: nickel-plated.
- 10. Buttons: melamine, 24 ligne; Color: matching shell fabric

- 11. Front quarter pockets and inverted double cord hip pockets with button tabs.
- 12. All pocket secured with bar tacks.
- 13. Side cut-in zippered pockets
- 14. Stretch waistband with fly tab (fly tab-men's only).
- 15. Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- 16. Double hook and eye closure.
- 17. Quarter linings in front quarters (men's only).
- 18. Outlets in waistband (back) and thigh inseam.
- 19. Tandem needle seat seam.
- 20. Seat, inseam, and out seams pressed open.
- 21. 10-12 stitches per inch (all seams).
- 22. Permanent silicone adhesive creases on pant, front and back.
- 23. Hemming.

# 9. Duty Jacket (Soft Shell)

#### **Shell Fabric**

1. 35% Nylon, 59% Polyester, 6% Spandex.

### **Trim**

- 2. Blauer Softshell Fleece Jacket or equivalent
- 3. Color: Dark Navy
- 4. Interlining: 100% polyester non-woven
- 5. Brushed Pocketing: 2X1 twill, 100% Polyester fill, Polyester/Rayon warp
- 6. Reflective Piping: 3/16" wide silver reflective piping (two tone only)
- 7. Elastic: 1" knitted elastic (dry cleanable)
- 8. Zippers: Front Zipper: delrin, one-way, size #5, 26.5 inches long.
- 9. Pocket Zippers: nylon coil, size #3, 7 inches long.

## **Design and Construction**

- 10. Zippered front with inner fly. Zipper extends to top of collar.
- 11. Stand up collar.
- 12. Scotchlite or equivalent piping and trim (two tone only).
- 13. Side openings with zipper closure.
- 14. Napoleon pocket on left chest.
- 15. Partially elasticized hem.
- 16. Lower zippered single welt pockets with brushed flannel lining.
- 17. Contrasting shell fabric yoke with inserted Scotchlite or equivalent piping (two tone only).
- 18. Badge Tab
- 19. Epaulets

# 10. Duty Jacket (Hard Shell)

## **Shell Fabric**

- 1. Waterproof, windproof, breathable 3-layer Gore-Tex gabric,
- 2. Zip out insulated liner
- 3. Subdued reflective illiminite

## <u>Trim</u>

- 4. Blauer Supershell Jacket w/Gore-Tex or equivalent
- 5. Color: Dark Navy

- 6. Abrasion resistant
- 7. Seams sealed with GORE-SEAM tape
- 8. Waterproof zippered cargo hand warmper pockets with flaps and hidden pen slot
- 9. Side openings with zipper closure
- 10. Elasticized hook and loop cuffs

# 11. High Visibility Safety Vest

#### Shell Fabric

1. 3.7 oz. per square yard, 100% Polyester heavy denier breathable tricot with soil release treatment and firm hand.

#### Trim

- 2. Binding: 100% nylon plain weave taffeta (Color: black)
- 3. 100% polyester plain weave taffeta (Color: fluorescent yellow)
- 4. Hook and loop: woven nylon base. (Color: fluorescent yellow)
- 5. Eyelets: aluminum, black enamel finish
- 6. Ribbon: 2.25-inches grosgrain, heavy weight. (Color: black)
- 7. Reflective trim: 2.0 inch wide, 3M Scotchlite or equivalent silver reflective fabric on heavy weight grosgrain ribbon

## Design and Construction

- 8. Full cut vest sized to fit male and female officers.
- 9. Front and rear panels connected at the shoulders and sides.
- 10. High contrast Scotchlite or equivalent striping.
- 11. Microphone tabs on each shoulder.
- 12. Fully adjustable waist.
- 13. "Break Away" shoulder and side access to equipment.

# 12. Reversible Raincoat

## **Shell Fabric**

- 1. 100% Polyester Oxford 300Dx300D PU visible coating 2000mm waterproofness 3000gm MVP; shall resist oil, discoloration and be odor free. (Color: see specified garment color)
- 2. 100% Nylon Oxford 200Dx200D PU clear coating 2000mm waterproofness 3000gm MVP; shall resist oil, discoloration and be odor free. (Color: see specified garment color)

#### Trim

- 3. Color 1: Black
- 4. Color 2: Hi Vis Yellow
- 5. Eyelets: 3L matt. (Color: black)
- 6. Hook and loop: woven nylon base. (Color: black)
- 7. Plastic fastener: 100mm translucent plastic pin.
- 8. Reflective trim: 2 inch wide, 3M Scotchlite™ or equivalent silver reflective fabric on 2.5 inch wide black ribbon.
- 9. Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating compound.
- 10. Snaps: non rusting reversible and regular, 20 ligne, gunmetal finish nickel on brass, heavy-duty closure, black nylon cap.
- 11. Front zipper: vision, two way, 28 inches.

- 12. B.Dry waterproof, windproof, breathable raincoat.
- 13. ANSI/ISEA 107 Class II certified.
- 14. Adjustable cuffs with hook and loop closure.
- 15. Double storm fly front with reversible delrin zipper.
- 16. Hi-contrast Scotchlite™ or equivalent reflective trim around chest, sleeves, and cuffs.
- 17. One-piece collar and sleeves.

- 18. Quick dry taffeta pockets.
- 19. Raglan drop shoulder for unrestricted movement.
- 20. Reversible hook and loop sleeve adjustment.
- 21. Reversible to high-visibility color.
- 22. Sport collar zips to top.
- 23. Two 10-inch welt style cut through pockets for access to equipment.
- 24. Badge tabs on both sides.
- 25. Microphone tabs on left front and right front of both dark and hi-vis sides.

# 13. Snap-On Rain Hood

#### **Shell Fabric**

1. 2.5-3.0 oz. per square yard (uncoated) Nylon, plain weave, type 66, treated with fluorocarbon water & stain release agents. 2.0 oz. {+ or - 0.25 oz.} polyurethane {pigmented to match fabric color} back coating shall resist oil, discoloration and be odor free.

#### Trim

- 2. Color: Black
- 3. Seam tape: two-layer polyurethane thermal tape 0.875 inches in width compatible with the polyurethane coating. (Color: clear)
- 4. Snaps: 20 ligne, prong style with closed backs, non-rusting gunmetal finish on brass, heavy duty closure

## **Design and Construction**

- 5. Seams factory sealed with thermal tape.
- 6. Drawstring closure.

## 14. Ballistic Panels

### Design

The soft body armor shall be designed to provide:

- 1. Light and thin NIJ certified armor in Level IIIA.
- 2. A high degree of concealment and comfort.
- 3. Minimum restriction of motion or mobility.
- 4. Durable
- 5. Ease of Cleaning
- 6. No sharp corners or straight edges shall be allowed.
- 7. Provide resistance against the labeled projectiles in accordance with the NIJ Standard 0101.06. (See Labeling Below for Details).
- 8. All materials shall be new, unused and without flaws that affect appearance, durability and function.
- The ballistic panels shall be constructed of a matrix of Woven Aramid and UD Polyethylene. No other ballistic material shall be used.
- 10. The material layer count must be uniform throughout the ballistic panel.
- 11. A vest section of 12" x 12" (one square foot), must not exceed .63 pounds (+/- 5%) per square foot and the thickness shall not exceed .18 inches for NIJ level II. Sample weights are (+/- 5%).
- 12. The front ballistic panel shall cover the chest approximately up to the collar bone, have a scooped neck sufficient to maintain conceal ability when wearing an open collar shirt, extend downward to the waist but not far enough to "push up into the throat" when the wearer is seated, and extend around the sides to provide side protection.

- 13. The biceps/chest region shall be cut with sufficient space to minimize irritation and restriction of arm movement during common duties such as the operation of motor vehicles.
- 14. The rear ballistic panel shall cover the back of the torso from just above the shoulder blades down to a position above the waist belt. In addition, unless otherwise stated, the maximum gap at each side shall be two inches.
- 15. Female models shall be designed specifically for the female torso and shall have allowances for bust configuration.

## **Ballistic Panel Performance**

16. The ballistic panels shall be NIJ Standard 0101.06 Level IIIA.

## Labeling

Label material shall withstand normal wear and cleaning and remain readable during the entire warranted life of the armor or carrier.

All soft body armor shall be labeled in strict adherence to the labeling requirement set forth in NIJ Standard 0101.06 /NIJ 2005 Interim Requirements. The ballistic panel labeling shall include, but not be limited to the following:

- 17. Name of Manufacture
- 18. Level of Protection
- 19. NIJ 0101.06
- 20. Date of Manufacture
- 21. Date of Issue
- 22. Size
- 23. Serial Number
- 24. Model of Vest
- 25. Manufacture location
- 26. Care Instructions
- 27. Warranty Period

### Special Considerations

The Department will not accept any body armor which has been taken from existing inventory. All body armor shall be ordered directly from the manufacturer after providing them with proper fitting instructions. The intent of this stipulation is to prevent the department from receiving body armor which has been sitting in storage or shelving for unknown extended periods of time. Only custom ordered body armor, dropped shipped directly from the manufacturer will be accepted, no exceptions.

# 15. Concealable Vest Carrier

## **General Design**

- 1. The vest carrier shall be designed to contain ballistic panels as described in this Spec Sheet and be the equivalent to the Point Blank "Elite" vest carrier.
- 2. The vest carrier shall come in both male and female styles.
- 3. Vest carrier color shall be Dark Navy.
- 4. The vest carrier shall come with electro-shock weapon protection.
- 5. The vest carrier shall be machine washable.
- 6. Additional vest carrier required.
- The general configuration shall be the slipover vest type that covers the majority of the upper torso, including side coverage.

- 8. The vest carrier shall have removable/replaceable elastic shoulder straps and waist straps with hook and pile fasteners to provide proper positioning and comfort.
- 9. The vest carrier shall have a removable elastic cummerbund to help secure fit.
- 10. There shall be no zippers or hook & loop closures against the body.
- 11. The outer shell carriers shall include front and rear 5" x 8" / 8" x 1 O" combination plate pockets designed to accommodate trauma, ballistic or blade inserts.
- 12. The vest carrier shall be equipped with a self-suspending support system that provides direct support to the ballistic panels to keep them sagging and creasing at the bottom of the carrier.
- 13. Easy access ballistic panel removal with external zipper on outer lower torso.
- 14. Narrow front tail design for a secure, less bulky fit

# 16. Exterior Vest Carrier Style 1

#### **Shell Fabric**

- 1. 7.5 oz. per square yard plain weave 75/25 poly/wool. Machine washable and dry cleanable wool blend provides user comfort, uniform appearance, durability, and easy care.
- 2. Breathable, 4 way stretch, 5.5 Oz. Nylon with Lycra mesh technical knit with high abrasion, pill resistance and anti-microbial finish.

### <u>Trim</u>

- 3. Blauer Armorskin or equivalent
- 4. Color: Dark Navy
- 5. Mesh Lining: 100% Polyester Mesh.
- 6. Interlining: Body: 100% polyester, Front Placket: 50% Polyester 50% Cotton.
- 7. Buttons: melamine, 20 ligne, matching shell fabric.
- 8. Body Binding: Self Fabric
- 9. Shoulder Binding: 100% Lycra.
- 10. Hem Binding: 100% Nylon.
- 11. Hem Facing: 100% Nylon Ripstop with honeycomb printed back.
- 12. Grosgrain Ribbon: 1" wide.

- 13. Shaped stretch side panels.
- 14. Two-way zippered single welt side openings.
- 15. 5 military style creases stitched on front and back.
- 16. Mitered pleated pockets with scalloped flaps, pencil opening on left and right pocket flap, hook and loop closure.
- 17. (2) Napoleon style pocket openings beneath the upper pleated pockets.
- 18. Fully lined with breathable mesh fabric.
- 19. Inside shoulder opening for attachment of carrier hook and look shoulder strap.
- 20. Mic tab on front placket, between first and second button.
- 21. Epaulets.
- 22. On demand Scotchlite or equivalent reflective on top edge of front pockets.
- 23. Badge eyelets with internal support strap.
- 24. Grosgrain ribbon loops sewn to inside for suspender application.

# 17. Exterior Vest Carrier Style 2

### **Shell Fabric**

- 1. 100% Polyester, 7.4 oz, Twill with Teflon finish
- 2. 100% Polyester, 129gsm Warp Knit Tricot Mesh with Antimicrobial finish. Machine washable and dry cleanable.

#### Trim

- 3. 5.11 Uniform Outer Carrier- Class A or equivalent
- 4. Color: Dark Navy
- 5. Seams are durable with 10-12 stitches per inch on all operations
- 6. Topstitching throughout garment
- 7. Bartacks throughout garment for added reinforcement at stress points
- 8. Hook and loop: attached with edgestitch and X box stitch for added strength
- 9. Buttons: 20 Ligne 4 hole melamine buttons, 4 at center front placket, 1 at each pocket flap
- 10. Hook and loop closure on pockets, document pocket openings, cummerbund, and outer side closures

### **Design and Construction**

- 11. Sewn-in creases on the front and back
- 12. Two chest pockets with pen pocket openings on each flap, pen guide on each pocket, hidden under the flap
- 13. Document pockets
- 14. Inside front trauma pad pocket
- 15. Internal openings at the bottom to insert protective equipment
- 16. Openings at inside shoulder lining for easy plate strap adjustment
- 17. Inside elastic cummerbund for secure fit
- 18. Inner badge support strap
- 19. Optional Embellishment kit included (2 epaulettes, badge tab, camera/radio loop, name badge support strip)

# 18. Exterior Vest Carrier Style FlexRS

#### **Shell Fabric**

- 1. 7.5 oz. per square yard plain weave 75/25 poly/wool. Machine washable and dry cleanable wool blend provides user comfort, uniform appearance, durability, and easy care.
- 2. Breathable, 4 way stretch, 5.5 Oz. Nylon with Lycra mesh technical knit with high abrasion, pill resistance and anti-microbial finish.

## <u>Trim</u>

- Blauer Armorskin or equivalent
- 4. Color: Dark Navy
- 5. Mesh Lining: 100% Polyester Mesh.
- 6. Interlining: Body: 100% polyester, Front Placket: 50% Polyester 50% Cotton.
- 7. Buttons: melamine, 20 ligne, matching shell fabric.
- 8. Body Binding: Self Fabric
- 9. Shoulder Binding: 100% Lycra.
- 10. Hem Binding: 100% Nylon.
- 11. Hem Facing: 100% Nylon Ripstop with honeycomb printed back.
- 12. Grosgrain Ribbon: 1" wide.

## **Design and Construction**

- 13. Shaped stretch side panels.
- 14. Two-way zippered single welt side openings.
- 15. 5 military style creases stitched on front and back.
- 16. Mitered pleated pockets with scalloped flaps, pencil opening on left and right pocket flap, hook and loop closure.
- 17. (2) Napoleon style pocket openings beneath the upper pleated pockets.
- 18. Fully lined with breathable mesh fabric.
- 19. Inside shoulder opening for attachment of carrier hook and look shoulder strap.
- 20. Mic tab on front placket, between first and second button.
- 21. Epaulets.
- 22. On demand Scotchlite or equivalent reflective on top edge of front pockets.
- 23. Badge eyelets with internal support strap.
- 24. Grosgrain ribbon loops sewn to inside for suspender application.

# 19. Sewing, Embroidering, Silk Screening and Alterations

- 1. Ability to Sew on department shoulders patches and emblems
- 2. Ability to embroider names on uniforms.
- 3. Ability to Silk Screen on certain items above.
- 4. Ability to make alterations on uniforms as may be needed.
- 5. Ability to Heat Press on certain items above.

# Stephenville Police Department Uniform Bid Sheet – ITB 3325

Item	Туре	Meet Specs		ltem Number	Regular Sizes	Price	XL Sizes	Price
		Yes	No		5.25			
1	Shirt - Long Sleeve							
	Shirt - Short Sleeve							
2	Shirt - Under (Base) Long Sleeve							
	Shirt - Under (Base) Short Sleeve							
3	Shirt - Long Sleeve FlexRS							
	Shirt - Short Sleeve FlexRS							
4	Shirt - Under (Base) Long Sleeve Style FlexRS							
	Shirt - Under (Base) Short Sleeve Style FlexRS							
5	Men's Trousers							
6	Women's Trousers							
7	Men's Class A Trousers							
	Women's Class A Trousers							
8	Men's Trousers FlexRS							
	Women's Trousers FlexRS							
9	Duty Jacket Soft Shell							
10	Duty Jacket Hard Shell							
11	High Visibility Safety Vest							
12	Reversible Raincoat							
13	Snap-On Rain Hood							
14	Ballistic Panels							
15	Concealable Vest Carrier- Men							
	Concealable Vest Carrier-Women							
16	Exterior Vest Carrier Style 1							
17	Exterior Vest Carrier Style 2							
18	Exterior Vest Carrier Style FlexRS							
19	Sewing- Patches and Emblems			Per patch				1):
	Embroidering- Names			Each				
	Silk Screening – 2" letters			Per letter				=
	Alterations (hemming pants)			Each				
	Alterations (other)			Per hour				
	Heat Press			Each				

# Stephenville Police Department Uniform Bid Sheet – ITB 3325

FEDERAL ID NUMBER	
COMPANY NAME	
ADDRESS	
AUTHORIZED BIDDER	
NO THOMELD BIBBER	(print or type)
	(signature)
Phone	Fax
Date	Email

NOTE: BID MUST BE SIGNED BY A PERSON HAVING THE AUTHORITY TO BIND THE FIRM IN A CONTRACT. BIDS NOT MANUALLY SIGNED WILL BE REJECTED.